

## 2008

Armeli S, Conner TS, Covault J, Tennen H, Kranzler HR. A serotonin transporter gene polymorphism (5-HTTLPR), drinking-to-cope motivation, and negative life events among college students. *J Stud Alcohol Drugs.* 2008. 69:814-23. (Pubmed ID 18925339)

Armeli S, Todd M, Conner TS, Tennen H. Drinking to cope with negative moods and the immediacy of drinking within the weekly cycle among college students. *J Stud Alcohol Drugs.* 2008. 69:313-22. (Pubmed ID 18299774)

Barry D, Petry N. Gender differences in associations between stressful life events and body mass index. *Prev Med.* 2008. 47:498-503. (Pubmed ID 18793665)

Barry D, Petry NM. Predictors of decision-making on the Iowa Gambling Task: independent effects of lifetime history of substance use disorders and performance on the Trail Making Test. *Brain Cogn.* 2008. 66:243-52. (Pubmed ID 17942206)

Barry D, Pietrzak RH, Petry NM. Gender differences in associations between body mass index and DSM-IV mood and anxiety disorders: results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Ann Epidemiol.* 2008. 18:458-66. (Pubmed ID 18329894)

Barry D, Weinstock J, Petry NM. Ethnic differences in HIV risk behaviors among methadone-maintained women receiving contingency management for cocaine use disorders. *Drug Alcohol Depend.* 2008. 98:144-53. (Pubmed ID 18684571)

Bierut LJ, Stitzel JA, Wang JC, Hinrichs AL, Grucza RA, Xuei X, Saccone NL, Saccone SF, Bertelsen S, Fox L, Horton WJ, Breslau N, Budde J, Cloninger CR, Dick DM, Foroud T, Hatsukami D, Hesselbrock V, Johnson EO, Kramer J, Kuperman S, Madden PA, Mayo K, Nurnberger J, Pomerleau O, Porjesz B, Reyes O, Schuckit M, Swan G, Tischfield JA, Edenberg HJ, Rice JP, Goate AM. Variants in nicotinic receptors and risk for nicotine dependence. *Am J Psychiatry.* 2008. 165:1163-71. (Pubmed ID 18519524)

El Bissati K, Downie MJ, Kim SK, Horowitz M, Carter N, Ullman B, Ben Mamoun C. Genetic evidence for the essential role of PfNT1 in the transport and utilization of xanthine, guanine, guanosine and adenine by Plasmodium falciparum. *Mol Biochem Parasitol.* 2008. 161:130-9. (Pubmed ID 18639591)

Gacek P, Conner TS, Tennen H, Kranzler HR, Covault J. Tryptophan hydroxylase 2 gene and alcohol use among college students. *Addict Biol.* 2008. 13:440-8. (Pubmed ID 18782386)

Ghosh S, Bierut LJ, Porjesz B, Edenberg HJ, Dick D, Goate A, Hesselbrock V, Nurnberger J, Foroud T, Kramer J, Rice J, Begleiter H. A novel non-parametric regression reveals linkage on chromosome 4 for the number of externalizing symptoms in sib-pairs. *Am J Med Genet B Neuropsychiatr Genet.* 2008. 147B:1301-5. (Pubmed ID 18454434)

Grover R, Frank ME. Regional specificity of chlorhexidine effects on taste perception. *Chemical Senses.* 2008. 33: 311-318. (Pubmed ID 18263592)

Grucza RA, Wang JC, Stitzel JA, Hinrichs AL, Saccone SF, Saccone NL, Bucholz KK, Cloninger CR, Neuman RJ, Budde JP, Fox L, Bertelsen S, Kramer J, Hesselbrock V, Tischfield J, Nurnberger JI, Almasy L, Porjesz B, Kuperman S, Schuckit MA, Edenberg HJ, Rice JP, Goate AM, Bierut LJ. A risk allele for nicotine dependence in CHRNA5 is a protective allele for cocaine dependence. *Biol Psychiatry.* 2008. 64:922-9. (Pubmed ID 18519132)

Hanson T, Alessi SM, Petry NM. Contingency management reduces drug-related human immunodeficiency virus risk behaviors in cocaine-abusing methadone patients. *Addiction.* 2008. 103:1187-97. (Pubmed ID 18494842)

Hussain N, Krueger W, Covault J, Walsh S, Kranzler HR, Oncken C. Effects of prenatal tobacco exposure on gene expression profiling in umbilical cord tissue. *Pediatr Res.* 2008. 64:147-53. (Pubmed ID 18437100)

Jacobson KC, Beseler CL, Lasky-Su J, Faraone SV, Glatt SJ, Kremen WS, Lyons MJ, Tsuang MT, Participants in the Collaborative Study on the Genetics of Alcoholism. Ordered subsets linkage analysis of antisocial behavior in substance use disorder among participants in the Collaborative Study on the Genetics of Alcoholism. *Am J Med Genet B Neuropsychiatr Genet.* 2008. 147B:1258-69. (Pubmed ID 18496835)

Kenny AM, Bellantonio S, Fortinsky RH, Dauser D, Kleppinger A, Robison J, Gruman C, Trella P, Walsh SJ. Factors associated with skilled nursing facility transfers in dementia-specific assisted living. *Alzheimer Dis Assoc Disord.* 2008. 22:255-60. (Pubmed ID 18580590)

Kiene SM, Tennen H, Armeli S. Today I'll use a condom, but who knows about tomorrow: a daily process study of variability in predictors of condom use. *Health Psychol.* 2008. 27:463-72. (Pubmed ID 18643004)

Kramer JR, Chan G, Dick DM, Kuperman S, Bucholz KK, Edenberg HJ, Polgreen LA, Hesselbrock VM, Schuckit MA, Nurnberger JI, Kapp ES, Porjesz B, Bierut LJ. Multiple-domain predictors of problematic alcohol use in young adulthood. *J Stud Alcohol Drugs.* 2008. 69:649-59. (Pubmed ID 18781239)

Kranzler HR, Wilcox M, Weiss RD, Brady K, Hesselbrock V, Rounsville B, Farrer L, Gelernter J. The validity of cocaine dependence subtypes. *Addict Behav.* 2008. 33:41-53. (Pubmed ID 17582692)

Ledgerwood DM, Alessi SM, Hanson T, Godley MD, Petry NM. Contingency management for attendance to group substance abuse treatment administered by clinicians in community clinics. *J Appl Behav Anal.* 2008. 41:517-26. (Pubmed ID 19192856)

Luo X, Zuo L, Kranzler HR, Wang S, Anton RF, Gelernter J. Recessive genetic mode of an ADH4 variant in substance dependence in African-Americans: A model of utility of the HWD test. *Behav Brain Funct.* 2008. 4:42. (Pubmed ID 18801187)

Mohr CD, Brannan D, Mohr J, Armeli S, Tennen H. Evidence for positive mood buffering among college student drinkers. *Pers Soc Psychol Bull.* 2008. 34:1249-59. (Pubmed ID 18550862)

Oncken C, Dornelas E, Greene J, Sankey H, Glasmann A, Feinn R, Kranzler HR. Nicotine gum for pregnant smokers: a randomized controlled trial. *Obstet Gynecol.* 2008. 112:859-67. (Pubmed ID 18827129)

Pescosolido BA, Perry BL, Long JS, Martin JK, Nurnberger JI, Hesselbrock V. Under the influence of genetics: how transdisciplinarity leads us to rethink social pathways to illness. *AJS.* 2008. 114 Suppl:S171-201. (Pubmed ID 19569404)

Petry NM, Weinstock J, Ledgerwood DM, Morasco B. A randomized trial of brief interventions for problem and pathological gamblers. *J Consult Clin Psychol.* 2008. 76:318-28. (Pubmed ID 18377127)

Petry NM, Barry D, Pietrzak RH, Wagner JA. Overweight and obesity are associated with psychiatric disorders: results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Psychosom Med.* 2008. 70:288-97. (Pubmed ID 18378873)

Petry NM, Lewis MW, Ostvik-White EM. Participation in religious activities during contingency management interventions is associated with substance use treatment outcomes. *Am J Addict.* 2008. 17:408-13. (Pubmed ID 18770084)

Petry NM, Roll JM, Rounsville BJ, Ball SA, Stitzer M, Peirce JM, Blaine J, Kirby KC, McCarty D, Carroll KM. Serious adverse events in randomized psychosocial treatment

studies: safety or arbitrary edicts?. *J Consult Clin Psychol.* 2008. 76:1076-82.  
(Pubmed ID 19045975)

Petry NM, Kelley L, Brennan M, Sierra S. What happens when contingency management treatment ends? A tale of two clients. *Am J Addict.* 2008. 17:241-4. (PubMed ID: 18464002).

Plotnikov SV, Kenny AM, Walsh SJ, Zubrowski B, Joseph C, Scranton VL, Kuchel GA, Dauser D, Xu M, Pilbeam CC, Adams DJ, Dougherty RP, Campagnola PJ, Mohler WA. Measurement of muscle disease by quantitative second-harmonic generation imaging. *J Biomed Opt.* 2008. 13:044018. (Pubmed ID 19021346)

Rash CJ, Alessi SM, Petry NM. Cocaine abusers with and without alcohol dependence respond equally well to contingency management treatments. *Exp Clin Psychopharmacol.* 2008. 16:275-81. (Pubmed ID 18729681)

Rash CJ, Alessi SM, Petry NM. Contingency management is efficacious for cocaine abusers with prior treatment attempts. *Exp Clin Psychopharmacol.* 2008. 16:547-54. (Pubmed ID 19086775)

Salazar JC, Cahn P, Yoge R, Negra MD, Castelli-Gattinara G, Fortuny C, Flynn PM, Giaquinto C, Ruan PK, Smith ME, Mikl J, Jelaska A, PACTG 1051/BI Study Team. Efficacy, safety and tolerability of tipranavir coadministered with ritonavir in HIV-1-infected children and adolescents. *AIDS.* 2008. 22:1789-98. (Pubmed ID 18753862)

Scott DM, Williams CD, Cain GE, Kwagyan J, Kalu N, Ehlers CL, Hesselbrock V, Taylor RE. Clinical course of alcohol dependence in African Americans. *J Addict Dis.* 2008. 27:43-50. (Pubmed ID 19042590)

Wagner JA, Pietrzak RH, Petry NM. Psychiatric disorders are associated with hospital care utilization in persons with hypertension: results from the National Epidemiologic Survey on alcohol and related conditions. *Soc Psychiatry Psychiatr Epidemiol.* 2008. 43:878-88. (Pubmed ID 18575791)

Weinstock J, Barry D, Petry NM. Exercise-related activities are associated with positive outcome in contingency management treatment for substance use disorders. *Addict Behav.* 2008. 33:1072-5. (Pubmed ID 18486352)

Weinstock J, Ledgerwood DM, Modesto-Lowe V, Petry NM. [Ludomania: cross-cultural examinations of gambling and its treatment]. *Rev Bras Psiquiatr.* 2008. 30 Suppl 1:S3-S10. (Pubmed ID 18278384)

Weiss LM, Petry NM. Interaction effects of age and contingency management treatments in cocaine-dependent outpatients. *Exp Clin Psychopharmacol.* 2011 Apr;19(2):173-81. (PubMed PMID: 21463074).

Weiss LM, Petry NM. Psychometric properties of the inventory of gambling situations with a focus on gender and age differences. *J Nerv Ment Dis.* 2008. 196:321-8. (Pubmed ID 18414127)

Wetherill L, Schuckit MA, Hesselbrock V, Xuei X, Liang T, Dick DM, Kramer J, Nurnberger JI, Tischfield JA, Porjesz B, Edenberg HJ, Foroud T. Neuropeptide Y receptor genes are associated with alcohol dependence, alcohol withdrawal phenotypes, and cocaine dependence. *Alcohol Clin Exp Res.* 2008. 32:2031-40. (Pubmed ID 18828811)

Witola WH, El Bissati K, Pessi G, Xie C, Roepe PD, Mamoun CB. Disruption of the Plasmodium falciparum PfPMT gene results in a complete loss of phosphatidylcholine biosynthesis via the serine-decarboxylase-phosphoethanolamine-methyltransferase pathway and severe growth and survival defects. *J Biol Chem.* 2008. 283:27636-43. (Pubmed ID 18694927)

Yang BZ, Kranzler HR, Zhao H, Gruen JR, Luo X, Gelernter J. Haplotypic variants in DRD2, ANKK1, TTC12, and NCAM1 are associated with comorbid alcohol and drug dependence. *Alcohol Clin Exp Res*. 2008. 32:2117-27. (Pubmed ID 18828801)