

Install NetAccess / LCR

System Requirements:

- Windows 98, 2000 or XP
- Pentium II
- 300 mhz
- 256 mbs memory
- 6 gig hard drive with 3 gigs free

Please note that this application MAY run on lesser systems but there will be a noticeable downgrade of performance

Before you proceed:

- Check your disk space - you need at least 100 mb free
- Check your OS (Operating System) version. You need Win 98, 2000 or XP

First, Install VB Script

Note: You can either install from this web location (by clicking on the highlighted *.bat file in each step below **or** execute the files , in order, as directed, from the file share: \\xesite\siemens (1.bat, 2.bat, 3.bat 4.bat).

Step 1. Install Microsoft Java Script

Note: This procedure will install the Microsoft Java Virtual Machine which is required for NetAccess to expose the OAS Gold embedded screens correctly.

If JVM already exists on your PC - this install will run quickly.

If JVM does not exist on your computer, the process may take a little longer.

- Run the Java Script Install:
 1. Click on: **1.bat** (or Run : \\xesite\siemens\1.bat)
 2. A File Download window opens: click on **the OPEN button**
 3. A DOS Window opens.
 4. A window then displays: Would you like to install Microsoft VM? Click on YES
 5. A License window displays : Click on YES to accept and continue.
 6. When installation completes, a Window displays: "Installation is Complete" Click on OK.

7. Then Close the DOS Window.

*Note: This install may ask to reboot the PC when it completes, if so, allow the reboot. (The install may **not** require the reboot. It will not prompt for a reboot, if not needed).*

Step 2. Install Internet Explorer Updates and Customizations

This procedure will install an updated version of Internet Explorer 6 and will customize the IE settings to enable the OAS Gold screens embedded in NetAccess to display content correctly

- Run the IE Install:
 1. Click on: **2.bat** (or Run : `\\xesite\siemens\2.bat`)
 2. A File Download window opens: click on **the OPEN button**
 3. A DOS Window opens.
 4. The install is *silent* (requires no input) and will cause the PC to reboot when done.

After the PC reboots, **right click on the Internet Explorer Icon your desktop.**

- Choose Properties (or Internet Properties) from the shortcut menu.
- In the dialog box that displays, click on the Advanced tab. Using the Scroll Bar, locate the section for Microsoft VM.
- If Java (Sun) is installed, **uncheck** any of the *Use Java* check boxes.
- Under the Microsoft VM Header: Click on the Check box next to the *Java console enabled (requires restart)*
- This is done to make the Microsoft Java VM the default Java for IE (which is a requirement to expose the embedded OAS Gold screens in NetAccess).



Step 3. Install the NetAccess Icon to the Desktop

This step places the NetAccess icon on your desktop.

- Install the **Net Access Icon**:

1. Click on: **3.bat** (or Run : `\\xesite\siemens3.bat`)
 2. A File Download window opens: click on **the OPEN button**
 3. A DOS Window opens.
4. This process runs quickly.
5. A Window: "Process Complete" displays when finished. .
6. Click the OK button to finish.
7. Close the DOS window

The NetAccess icon  will be on your desktop.

Continue to the next procedure: Installation of Rumba