37 y/o male with history of IV drug abuse who now presents with upper extremity erythema and swelling.


Atul Kumar, MD, MS Daniel E. Marrero, MD





Lateral Radiograph of Left Elbow





Axial CT of Left Upper Extremity





Sagittal CT of Left Upper Extremity







## Necrotizing Fasciitis






Lateral
Radiograph of
Left Elbow

Loss of normal soft tissue planes indicating intramuscular edema






Axial CT of Left Upper Extremity

Muscle edema with loss of fascial borders





## Necrotizing Fasciitis

- Soft tissue infection which is rapidly progressive
- Often begins in superficial fascia, with subsequent extension into deep fascia
- Necrosis caused by microvascular occlusion
- More common in elderly or immunocompromised patients
- Mortality 30-70%
- Due to high mortality, imaging studies should not delay clinical diagnosis and surgical debridement
- Soft tissue gas is only seen in minority of cases



## References

- Chaudhry, A. A., Baker, K. S., Gould, E. S., & Gupta, R. (2015). Necrotizing Fasciitis and Its Mimics: What Radiologists Need to Know. *American Journal of Roentgenology*, 204(1), 128-139. doi:10.2214/ajr.14.12676
- Fugitt, J. B., Puckett, M. L., Quigley, M. M., & Kerr, S. M. (2004).
   Necrotizing Fasciitis. *RadioGraphics*, 24(5), 1472-1476.
   doi:10.1148/rg.245035169

